

JA-80X


JA-80X

Jablotron Oasis 80.

()

1.

- 4- RJ RS-LINE. RS-LINE
- LINE
- TEL.
- TNV 1-3



TEL

2.

- 4 5
- 0 SC (SC - 8080)
- #.
- #.

2.1

71Mxx...x*0

xx...xx 1-4 16
 : 712 483 123 456 *0 483 123 456
 2.

71M*0

1-4

2.2

- 72. 0 8
- 0 -
- 1 -
- 2 - ()
- 3 -
- 4 -
- 5 -
- 6 - ()
- 7 - (Welcome to OASIS)
- 8 - 8 () (Enter your access code)
- 5 -
- 5 - 1 3
- (0)
- #

JA-80X

3.

- Contact ID. ()
- 1 4 2
- 1,
- 2.
- « »
- Contact ID

3.1

75Mxx...x*0

xx...xx 1= , 2 = 16

75M*0

3.2

76x...x*0

xx.x

(HEX) *, *1= , *2= ... *6=F.
7615*1*5*0 15 ().

3.3

73nx

- n
- 1-
- 2-
- 3-
- 4-
- 5-
- 6-
- 7-

- 1-
- 0-

3.4

Contact ID

1130/3130	- /
1134/3134	- /
1110/3110	/
1120/3120	/
1461/3461	/ /
1140/3140	/
1137/3137	/ /
1144/3144	/ /
1406	
1401/3401	/ /
3402	
3408	
1354/3354	/ /
1300/3300	() /
1300/3300	/ /
1301/3301	30 /
1302/3302	/ /
1384/3384	/ /
1306/3306	/ /
1661/3661	PGX ON/OFF
1662/3662	PGY ON/OFF
1355	
1350/3350	/ /
1602	
1138	
1351	1
1393	
1551/3551	/ /

701	
731	
741	
001-050	01-50
500	
599	
501-550	01-50

:01

:02 = ,03=

:02= ,03=

3.5

(7)

74

(7)

24

3.6

JA-80X JA-80Y

JA-80X GSM JA-80Y
 JA-80Y. JA-80Y GSM
 JA-80X. GSM
 » JA-80Y) JA-80Y
 081.
 791
 =0
 =1 JA-80X GSM
 =3 JA-80X

4.

JA-80X

60

8 ()

8

4

- 1 -
- 2 -
- 3 -
- 1 +3

-

7 (

Oasis).

- 1 -
- 2 -
- 3 -
- 4 -

60

4.1

77n

n :
n = 0-8
n=9

1 9

n 5

5 40

n=0

6.

(⁵/₅)⁴
EN55022, EN 50130-4, EN 60950-1
EN 301437, TBR 21



Jablotron Ltd.
Directive 1999/5/EC

JA-80

www.jablotron.com,

5.

78080

7

		/	
	71 M xx...x*0	M = 1-4 xx..xx = , 16 *0= 71M*0	
	72		
	73nx	n 1 - 2 - 3 - 4 - / 5 - () 6 - 7 - / 1 - 0 -	
	74		
	75Mxx...x*0	M=1 - M=2 -	
	76xx...x*0		0000
	77n	n = 0-8 5 n=9 n=0	n=0
	78080		